

Świadectwo Zgodności

Nr N8A 073899 0077 Wer. 08

Posiadacz Świadectwa: **ZNSHINE PV-TECH Co., Ltd.**
No. 1, South Zhenxing Road
Industrial Zone, Zhixi Town, Jintan District
213251 Changzhou City, Jiangsu Province
Chińska Republika Ludowa

Produkt: **Naziemne moduły fotowoltaiczne (PV) z krzemu krystalicznego
Moduł fotowoltaiczny z krzemu monokrystalicznego**

Niniejsze Świadectwo Zgodności wydawane jest dobrowolnie zgodnie z ustawową dyrektywą napięciową 2014/35/UE dotyczącą sprzętu elektrycznego przeznaczonego do stosowania w określonych granicach napięcia. Potwierdza, że wymieniony sprzęt jest zgodny z głównymi wymaganiami ochronnymi dyrektywy i opiera się na specyfikacjach technicznych obowiązujących w momencie wydania. Dotyczy ono wyłącznie konkretnej próbki przekazanej do oceny zgodności. Więcej informacji można znaleźć na stronie: www.tuvsud.com/ps-cert.

Raport badania nr: 704061908304-08

Data: 2023-01-13 /podpis nieczytelny/
(Zhulin Zhang)

CE TÜV

Strona 1 z 6

Niniejsze świadectwo nie zastępuje regulacyjnej Deklaracji zgodności UE (DoC) i nie pozwala na oznakowanie CE. Po przygotowaniu niezbędnej dokumentacji i stwierdzeniu zgodności z wymaganiami wszystkich obowiązujących dyrektyw, producent może podpisać Deklarację Zgodności i zastosować oznakowanie CE. Deklaracja Zgodności wydawana jest na wyłączną odpowiedzialność producenta.

TÜV SÜD Product Service GmbH * Ridlerstrasse 65 * 80339 Munich * Niemcy



Świadectwo Zgodności

Nr N8A 073899 0077 Wer. 08

Modele:

ZXM6-NHLDD156-xxx/M, xxx= 455 to 505 in steps of 5
ZXM6-NPLDD156-xxx/M, xxx= 455 to 505 in steps of 5
ZXM6-NOLDD156-xxx/M, xxx= 455 to 505 in steps of 5
ZXM6-NHLDD144-xxx/M, xxx= 420 to 470 in steps of 5
ZXM6-NPLDD144-xxx/M, xxx= 420 to 470 in steps of 5
ZXM6-NOLDD144-xxx/M, xxx= 420 to 470 in steps of 5
ZXM6-NHLDD132-xxx/M, xxx= 385 to 430 in steps of 5
ZXM6-NPLDD132-xxx/M, xxx= 385 to 430 in steps of 5
ZXM6-NOLDD132-xxx/M, xxx= 385 to 430 in steps of 5
ZXM6-NHLDD120-xxx/M, xxx= 350 to 390 in steps of 5
ZXM6-NPLDD120-xxx/M, xxx= 350 to 390 in steps of 5
ZXM6-NOLDD120-xxx/M, xxx= 350 to 390 in steps of 5
ZXM6-NHLDD144-xxx/M, xxx= 385 to 410 in steps of 5
ZXM6-NPLDD144-xxx/M, xxx= 385 to 410 in steps of 5
ZXM6-NOLDD144-xxx/M, xxx= 385 to 410 in steps of 5
ZXM6-NHLDD132-xxx/M, xxx= 360 to 375 in steps of 5
ZXM6-NPLDD132-xxx/M, xxx= 360 to 375 in steps of 5
ZXM6-NOLDD132-xxx/M, xxx= 360 to 375 in steps of 5
ZXM6-NHLDD120-xxx/M, xxx= 325 to 340 in steps of 5
ZXM6-NPLDD120-xxx/M, xxx= 325 to 340 in steps of 5
ZXM6-NOLDD120-xxx/M, xxx= 325 to 340 in steps of 5
ZXM6-LDD72-xxx/M, xxx= 380 to 400 in steps of 5
ZXM6-LDD66-xxx/M, xxx= 350 to 365 in steps of 5
ZXM6-LDD60-xxx/M, xxx= 320 to 330 in steps of 5
ZXM6-HLDD144-xxx/M, xxx= 380 to 405 in steps of 5
ZXM6-PLDD144-xxx/M, xxx= 380 to 405 in steps of 5
ZXM6-HLDD132-xxx/M, xxx= 350 to 370 in steps of 5
ZXM6-PLDD132-xxx/M, xxx= 350 to 370 in steps of 5
ZXM6-HLDD120-xxx/M, xxx= 320 to 335 in steps of 5
ZXM6-PLDD120-xxx/M, xxx= 320 to 335 in steps of 5
ZXM6-NHLD144-xxx/M, xxx= 420 to 470 in steps of 5
ZXM6-NPLD144-xxx/M, xxx= 420 to 470 in steps of 5
ZXM6-NOLD144-xxx/M, xxx= 420 to 470 in steps of 5
ZXM6-NHLD132-xxx/M, xxx= 385 to 430 in steps of 5
ZXM6-NPLD132-xxx/M, xxx= 385 to 430 in steps of 5
ZXM6-NOLD132-xxx/M, xxx= 385 to 430 in steps of 5
ZXM6-NHLD120-xxx/M, xxx= 350 to 390 in steps of 5
ZXM6-NPLD120-xxx/M, xxx= 350 to 390 in steps of 5
ZXM6-NOLD120-xxx/M, xxx= 350 to 390 in steps of 5
ZXM6-NHLD144-xxx/M, xxx= 380 to 410 in steps of 5
ZXM6-NPLD144-xxx/M, xxx= 380 to 410 in steps of 5
ZXM6-NOLD144-xxx/M, xxx= 380 to 410 in steps of 5
ZXM6-NHLD132-xxx/M, xxx= 350 to 375 in steps of 5
ZXM6-NPLD132-xxx/M, xxx= 350 to 375 in steps of 5
ZXM6-NOLD132-xxx/M, xxx= 350 to 375 in steps of 5
ZXM6-NHLD120-xxx/M, xxx= 320 to 340 in steps of 5
ZXM6-NPLD120-xxx/M, xxx= 320 to 340 in steps of 5
ZXM6-NOLD120-xxx/M, xxx= 320 to 340 in steps of 5
ZXM6-HLD144-xxx/M, xxx= 380 to 405 in steps of 5
ZXM6-PLD144-xxx/M, xxx= 380 to 405 in steps of 5
ZXM6-HLD132-xxx/M, xxx= 350 to 370 in steps of 5
ZXM6-PLD132-xxx/M, xxx= 350 to 370 in steps of 5
ZXM6-HLD120-xxx/M, xxx= 320 to 335 in steps of 5
ZXM6-PLD120-xxx/M, xxx= 320 to 335 in steps of 5
ZXM6-LD72-xxx/M, xxx= 380 to 400 in steps of 5
ZXM6-LD66-xxx/M, xxx= 350 to 365 in steps of 5
ZXM6-LD60-xxx/M, xxx= 320 to 330 in steps of 5

Strona 2 z 6

CE TÜV

Niniejsze świadectwo nie zastępuje regulacyjnej Deklaracji zgodności UE (DoC) i nie pozwala na oznakowanie CE. Po przygotowaniu niezbędnej dokumentacji i stwierdzeniu zgodności z wymaganiami wszystkich obowiązujących dyrektyw, producent może podpisać Deklarację Zgodności i zastosować oznakowanie CE. Deklaracja Zgodności wydawana jest na wyłączną odpowiedzialność producenta.

TÜV SÜD Product Service GmbH * Ridlerstrasse 65 * 80339 Munich * Niemcy



Świadectwo Zgodności

Nr N8A 073899 0077 Wer. 08

ZXM7-SOLDD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-SPLDD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-SHLDD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-SOLDD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-SPLDD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-SHLDD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-SOLDD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-SPLDD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-SHLDD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-SHLDD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-SPLDD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-SOLDD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-SPLD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-SHLD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-SOLDD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-SPLD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-SHLD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-SOLDD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-SPLD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-SHLD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-SHLD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-SPLD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-UPLDD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-UHLD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-UPLDD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-UHLD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-UPLDD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-UHLD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-UPLDD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-UHLD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-UPLD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-UHLD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-UPLD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-UHLD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-UPLD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-UHLD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-UPLD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-UHLD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-EPLDD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-EHLDD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-EPLDD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-EHLDD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-EPLDD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-EHLDD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-EPLDD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-EHLDD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-EPLD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-EHLD144-xxx/M, xxx= 520 to 555 in steps of 5
ZXM7-EPLD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-EHLD132-xxx/M, xxx= 480 to 510 in steps of 5
ZXM7-EPLD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-EHLD120-xxx/M, xxx= 435 to 465 in steps of 5
ZXM7-EPLD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-EHLD108-xxx/M, xxx= 390 to 415 in steps of 5
ZXM7-UPLDD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-UHLD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-UPLDD144-xxx/N, xxx= 540 to 580 in steps of 5

Strona 3 z 6

Niniejsze świadectwo nie zastępuje regulacyjnej Deklaracji zgodności UE (DoC) i nie pozwala na oznakowanie CE. Po przygotowaniu niezbędnej dokumentacji i stwierdzeniu zgodności z wymaganiami wszystkich obowiązujących dyrektyw, producent może podpisać Deklarację Zgodności i zastosować oznakowanie CE. Deklaracja Zgodności wydawana jest na wyłączną odpowiedzialność producenta.

TÜV SÜD Product Service GmbH * Ridlerstrasse 65 * 80339 Munich * Niemcy

CE TÜV



Świadectwo Zgodności

Nr N8A 073899 0077 Wer. 08

ZXM7-UHLDD144-xxx/N, xxx= 540 to 580 in steps of 5
ZXM7-UPLDD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-UHLDD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-UPLDD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-UHLDD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-UPLDD108-xxx/N, xxx= 405 to 435 in steps of 5
ZXM7-UHLDD108-xxx/N, xxx= 405 to 435 in steps of 5
ZXM7-UPLD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-UHLD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-UPLD144-xxx/N, xxx= 540 to 580 in steps of 5
ZXM7-UHLD144-xxx/N, xxx= 540 to 580 in steps of 5
ZXM7-UPLD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-UHLD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-UPLD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-UHLD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-UPLD108-xxx/N, xxx= 405 to 435 in steps of 5
ZXM7-UHLD108-xxx/N, xxx= 405 to 435 in steps of 5
ZXM7-EPLDD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-EHLDD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-EPLDD144-xxx/N, xxx= 540 to 580 in steps of 5
ZXM7-EHLDD144-xxx/N, xxx= 540 to 580 in steps of 5
ZXM7-EPLDD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-EHLDD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-EPLDD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-EHLDD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-EPLDD108-xxx/N, xxx= 405 to 435 in steps of 5
ZXM7-EHLDD108-xxx/N, xxx= 405 to 435 in steps of 5
ZXM7-EPLD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-EHLD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-EPLD144-xxx/N, xxx= 540 to 580 in steps of 5
ZXM7-EHLD144-xxx/N, xxx= 540 to 580 in steps of 5
ZXM7-EPLD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-EHLD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-EPLD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-EHLD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-EPLD108-xxx/N, xxx= 405 to 435 in steps of 5
ZXM7-EHLD108-xxx/N, xxx= 405 to 435 in steps of 5
ZXM7-SPLDD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-SHLDD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-SPLDD144-xxx/N, xxx= 540 to 580 in steps of 5
ZXM7-SHLDD144-xxx/N, xxx= 540 to 580 in steps of 5
ZXM7-SPLDD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-SHLDD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-SPLDD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-SHLDD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-SPLDD108-xxx/N, xxx= 405 to 435 in steps of 5
ZXM7-SHLDD108-xxx/N, xxx= 405 to 435 in steps of 5
ZXM7-SPLD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-SHLD156-xxx/N, xxx= 585 to 630 in steps of 5
ZXM7-SPLD144-xxx/N, xxx= 540 to 580 in steps of 5
ZXM7-SHLD144-xxx/N, xxx= 540 to 580 in steps of 5
ZXM7-SPLD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-SHLD132-xxx/N, xxx= 495 to 530 in steps of 5
ZXM7-SPLD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-SHLD120-xxx/N, xxx= 450 to 485 in steps of 5
ZXM7-SPLD108-xxx/N, xxx= 405 to 435 in steps of 5
ZXM7-SHLD108-xxx/N, xxx= 405 to 435 in steps of 5

Strona 4 z 6

CE TÜV

Niniejsze świadectwo nie zastępuje regulacyjnej Deklaracji zgodności UE (DoC) i nie pozwala na oznakowanie CE. Po przygotowaniu niezbędnej dokumentacji i stwierdzeniu zgodności z wymaganiami wszystkich obowiązujących dyrektyw, producent może podpisać Deklarację Zgodności i zastosować oznakowanie CE. Deklaracja Zgodności wydawana jest na wyłączną odpowiedzialność producenta.

TÜV SÜD Product Service GmbH * Ridlerstrasse 65 * 80339 Munich * Niemcy



Świadectwo Zgodności

Nr N8A 073899 0077 Wer. 08

ZXM8-SOLDD150-xxx/M, xxx= 480 to 515 in steps of 5
ZXM8-SPLDD150-xxx/M, xxx= 480 to 515 in steps of 5
ZXM8-SHLDD150-xxx/M, xxx= 480 to 515 in steps of 5
ZXM8-SOLDD140-xxx/M, xxx= 450 to 480 in steps of 5
ZXM8-SPLDD140-xxx/M, xxx= 450 to 480 in steps of 5
ZXM8-SHLDD140-xxx/M, xxx= 450 to 480 in steps of 5
ZXM8-SOLDD130-xxx/M, xxx= 420 to 445 in steps of 5
ZXM8-SPLDD130-xxx/M, xxx= 420 to 445 in steps of 5
ZXM8-SHLDD130-xxx/M, xxx= 420 to 445 in steps of 5
ZXM8-SOLDD120-xxx/M, xxx= 385 to 410 in steps of 5
ZXM8-SPLDD120-xxx/M, xxx= 385 to 410 in steps of 5
ZXM8-SHLDD120-xxx/M, xxx= 385 to 410 in steps of 5
ZXM8-SOLDD90-xxx/M, xxx= 290 to 310 in steps of 5
ZXM8-SPLDD90-xxx/M, xxx= 290 to 310 in steps of 5
ZXM8-SHLDD90-xxx/M, xxx= 290 to 310 in steps of 5
ZXM8-SOLD150-xxx/M, xxx= 480 to 515 in steps of 5
ZXM8-SPLD150-xxx/M, xxx= 480 to 515 in steps of 5
ZXM8-SHLD150-xxx/M, xxx= 480 to 515 in steps of 5
ZXM8-SOLD140-xxx/M, xxx= 450 to 480 in steps of 5
ZXM8-SPLD140-xxx/M, xxx= 450 to 480 in steps of 5
ZXM8-SHLD140-xxx/M, xxx= 450 to 480 in steps of 5
ZXM8-SOLD130-xxx/M, xxx= 420 to 445 in steps of 5
ZXM8-SPLD130-xxx/M, xxx= 420 to 445 in steps of 5
ZXM8-SHLD130-xxx/M, xxx= 420 to 445 in steps of 5
ZXM8-SOLD120-xxx/M, xxx= 385 to 410 in steps of 5
ZXM8-SPLD120-xxx/M, xxx= 385 to 410 in steps of 5
ZXM8-SHLD120-xxx/M, xxx= 385 to 410 in steps of 5
ZXM8-SOLD90-xxx/M, xxx= 290 to 310 in steps of 5
ZXM8-SPLD90-xxx/M, xxx= 290 to 310 in steps of 5
ZXM8-SHLD90-xxx/M, xxx= 290 to 310 in steps of 5
ZXM8-TPLDD132-xxx/M, xxx= 630 to 670 in steps of 5
ZXM8-THLDD132-xxx/M, xxx= 630 to 670 in steps of 5
ZXM8-TPLDD120-xxx/M, xxx= 575 to 610 in steps of 5
ZXM8-THLDD120-xxx/M, xxx= 575 to 610 in steps of 5
ZXM8-TPLDD110-xxx/M, xxx= 525 to 560 in steps of 5
ZXM8-THLDD110-xxx/M, xxx= 525 to 560 in steps of 5
ZXM8-TPLDD100-xxx/M, xxx= 480 to 510 in steps of 5
ZXM8-THLDD100-xxx/M, xxx= 480 to 510 in steps of 5
ZXM8-TPLDD90-xxx/M, xxx= 430 to 455 in steps of 5
ZXM8-THLDD90-xxx/M, xxx= 430 to 455 in steps of 5
ZXM8-TPLDD80-xxx/M, xxx= 385 to 405 in steps of 5
ZXM8-THLDD80-xxx/M, xxx= 385 to 405 in steps of 5
ZXM8-TPLD132-xxx/M, xxx= 630 to 670 in steps of 5
ZXM8-THLD132-xxx/M, xxx= 630 to 670 in steps of 5
ZXM8-TPLD120-xxx/M, xxx= 575 to 610 in steps of 5
ZXM8-THLD120-xxx/M, xxx= 575 to 610 in steps of 5
ZXM8-TPLD110-xxx/M, xxx= 525 to 560 in steps of 5
ZXM8-THLD110-xxx/M, xxx= 525 to 560 in steps of 5
ZXM8-TPLD100-xxx/M, xxx= 480 to 510 in steps of 5
ZXM8-THLD100-xxx/M, xxx= 480 to 510 in steps of 5
ZXM8-TPLD90-xxx/M, xxx= 430 to 455 in steps of 5
ZXM8-THLD90-xxx/M, xxx= 430 to 455 in steps of 5
ZXM8-TPLD80-xxx/M, xxx= 385 to 405 in steps of 5
ZXM8-THLD80-xxx/M, xxx= 385 to 405 in steps of 5

xxx oznacza znamionową moc wyjściową przy standardowych warunkach testowych

CE TÜV

Strona 5 z 6

Niniejsze świadectwo nie zastępuje regulacyjnej Deklaracji zgodności UE (DoC) i nie pozwala na oznakowanie CE. Po przygotowaniu niezbędnej dokumentacji i stwierdzeniu zgodności z wymaganiami wszystkich obowiązujących dyrektyw, producent może podpisać Deklarację Zgodności i zastosować oznakowanie CE. Deklaracja Zgodności wydawana jest na wyłączną odpowiedzialność producenta.

TÜV SÜD Product Service GmbH * Ridlerstrasse 65 * 80339 Munich * Niemcy



Świadectwo Zgodności

Nr N8A 073899 0077 Wer. 08

Parametry	Konstrukcja:	W ramie ze skrzynką przyłączeniową, kablem i złączami
	Laboratorium badawcze:	Yangzhou Opto-Electrical Products Testing Institute No. 10 West Kalfa Road, Yangzhou 225009 Jangsu, P.FL China
	Klasa bezpieczeństwa:	Klasa II
	Maksymalne napięcie instalacji:	1500 V DC
	Klasa bezpieczeństwa pożarowego:	Klasa A zgodnie z UL790
Testowane zgodnie z:	EN IEC 61730-1:2018 EN IEC 61730-1:2018/AC: 2018-08 EN IEC 61730-2:2018 EN IEC 61730-2:2018/AC: 2018-08	

CE TÜV

Strona 6 z 6

Niniejsze świadectwo nie zastępuje regulacyjnej Deklaracji zgodności UE (DoC) i nie pozwala na oznakowanie CE. Po przygotowaniu niezbędnej dokumentacji i stwierdzeniu zgodności z wymaganiami wszystkich obowiązujących dyrektyw, producent może podpisać Deklarację Zgodności i zastosować oznakowanie CE. Deklaracja Zgodności wydawana jest na wyłączną odpowiedzialność producenta.

TÜV SÜD Product Service GmbH * Ridlerstrasse 65 * 80339 Munich * Niemcy

Ja, tłumacz przysięgły języka angielskiego, Katarzyna Dobrowolska, wpisana na listę tłumaczy przysięgłych prowadzoną przez ministra sprawiedliwości pod numerem TP/4306/05, niniejszym zaświadczam zgodność powyższego tłumaczenia z dokumentem w języku angielskim.

Sopot, 12 września 2023

Rep. Nr 2384/2023

